

Fig. 1a





Fig. 1b






Fig. 3a




Fig. 3b

Return-Path: <MAILER-DAEMON>
 Received: from localhost (localhost)
 by mail.sender.com (8.9.3/8.9.3) with internal id DAA08119;
 Sat, 28 Aug 1999 03:22:53 -0400 (EDT)
 Date: Sat, 28 Aug 1999 03:22:53 -0400 (EDT)
 From: Mail Delivery Subsystem <MAILER-DAEMON>
 Message-Id: <199908280722.DAA08119@mail.sender.com>
 To: <original@sender.com>
 MIME-Version: 1.0
 Content-Type: multipart/report; report-type=delivery-status;
 boundary="DAA08119.935824973/mail.sender.com"
 Subject: Returned mail: User unknown
 Auto-Submitted: auto-generated (failure)
 X-UIDL: 0a7b64d78dbd21cd6bb513b718fc263a

This is a MIME-encapsulated message

--DAA08119.935824973/mail.sender.com

The original message was received at Sat, 28 Aug 1999 03:19:11 -0400 (EDT)
 from p16-clv2-ts2.sender.com [129.180.218.73]

----- The following addresses had permanent fatal errors -----
 <john@doe.com>

----- Transcript of session follows -----
 550 <john@doe.com>... Host unknown (Name server: doe.com: host not found)

--DAA08119.935824973/mail.sender.com

Content-Type: message/delivery-status
 Reporting-MTA: dns; mail.sender.com
 Received-From-MTA: DNS; d49.as2.mail.sender.com
 Arrival-Date: Sat, 28 Aug 1999 03:19:11 -0400 (EDT)
 Final-Recipient: RFC822; john@doe.com
 Action: failed
 Status: 5.1.2
 Remote-MTA: DNS; doe.com
 Last-Attempt-Date: Sat, 28 Aug 1999 03:19:12 -0400 (EDT)


Prior Art
Fig. 4a

```

Return-Path: <MAILER-DAEMON>
Received: from localhost (localhost)
    by mail.sender.com (8.9.3/8.9.3) with internal id DAA08119;
    Sat, 28 Aug 1999 03:22:53 -0400 (EDT)
Date: Sat, 28 Aug 1999 03:22:53 -0400 (EDT)
From: Mail Delivery Subsystem <MAILER-DAEMON>
Message-Id: <199908280722.DAA08119@mail.sender.com>
To: <original@sender.com>
MIME-Version: 1.0
Content-Type: multipart/html; report-type=delivery-status;
    boundary="DAA08119.935824973/mail.sender.com"
Subject: Returned mail: User unknown
Auto-Submitted: auto-generated (failure)
X-UIDL: 0a7b64d78dbd21cd6bb513b718fc263a
This is a MIME-encapsulated message
--DAA08119.935824973/mail.sender.com
The original message was received at Sat, 28 Aug 1999 03:19:11 -0400 (EDT)
from p16-clv2-ts2.sender.com [129.180.218.73]
----- The following addresses had permanent fatal errors -----
<john@doe.com>
----- Transcript of session follows -----
550 <john@doe.com>... Host unknown (Name server: doe.com: host not found)
<HTML><HEAD><TITLE>Find John Doe</TITLE>
<META HTTP-EQUIV="Refresh" CONTENT="5; URL=http://search.com/cgi-bin/
whitepages/find.cgi?email=john@doe.com"></HEAD>
<BODY BGCOLOR="#ffffff" BACKGROUND="/example.jpg">
<TABLE BORDER WIDTH="100%" BGCOLOR="#ffff99">
<TR ALIGN=CENTER><TD>
<FONT SIZE=+2><CENTER><B>
You will be transferred to a search for John Doe in 5 seconds.
</B></CENTER></FONT>
</TD></TR></TABLE><HR>
<A HREF="http://search.com/cgi-bin/whitepages/find.cgi?email=john@doe.com">
Find john@doe.com</A>
</BODY></HTML>
--DAA08119.935824973/mail.sender.com
Content-Type: message/delivery-status
Reporting-MTA: dns; mail.sender.com
Received-From-MTA: DNS; d49.as2.mail.sender.com
Arrival-Date: Sat, 28 Aug 1999 03:19:11 -0400 (EDT)
Final-Recipient: RFC822; john@doe.com
Action: failed
Status: 5.1.2
Remote-MTA: DNS; doe.com
Last-Attempt-Date: Sat, 28 Aug 1999 03:19:12 -0400 (EDT)

```

Fig. 4b



Prior Art
Fig. 5a




Fig. 5b